



There's you.

There's the space around your house.

And then there's Trex®.

And with a little imagination, amazing things can happen in between.

As you'll see, Trex is more than just a creator of great decks with proprietary technology. In fact, the real possibilities begin when what you think you know turns into what you could never imagine. Tough-as-nails boards that become a perfect bench. New tropical deck colors that practically lull landlocked homes to the water's edge. Brilliant new storage ideas for making outdoor rooms even roomier.

We're all about knowing what's next, then inspiring you to make it yours with all the colors, options and configurations your dreams can handle.

Actually, it *is* easy BEING GREEN



Spending time outdoors feels a lot better when you're helping to preserve the outdoors. Our company was built upon green principles and values, from our recycled materials to our sustainable processes. In fact, we reuse as smartly as possible, creating innovative, new products from not-so-new beginnings and, of course, screening everything closely for quality before it goes near a Trex plant.

Some real-world reasons to feel really good about Trex:

- » Trex products are made from 95% recycled materials, saving around 400 million pounds of plastic and wood scrap from landfills every year
- » Trex hasn't felled one tree in all our years in the decking and railing business
- » Our earth-friendly manufacturing processes recycle factory refuse back into the manufacturing line, and some plant hydraulics are even powered by vegetable oil
- » Our decking, railing and steel deck framing contribute to LEED points on any building








THE OVERACHIEVER DOWN UNDER

Wood framing splits, warps and shifts over time, leading to an uneven surface that is echoed in the deck boards above. The dimensionally stable steel of Trex Elevations stays in place, giving you consistently flat decking. To watch a video demonstration, visit **trex.com**





PERFECTION BUILT FROM THE GROUND UP Even

though your deck's substructure may not make the family photos, it's actually the most important part of your new outdoor space. Trex Elevations®, our system of durable, triple-coated steel beams, joists, tracks and deck support posts creates the strongest, straightest and, yes, greenest structures down below.

- » Non-combustible material with a Class 1A fire rating offers peace of mind
- » Rot- and termite-proof steel lasts much longer than wood
- » CCRR-0186 code compliance research report approves Trex Elevations for exterior use



- » Precision engineering ensures surfaces remain flat over time
- » Contains a minimum of 25% recycled steel and is a 100% renewable resource
- » Backed by the Trex 25-Year Limited Residential Warranty

Trex Elevations® Steel Deck Support Posts are manufactured and sold by M. Cohen and Sons, Inc., d/b/a/ The Iron Shop, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

Due to increased risk of corrosion, Trex Elevations may not be installed (1) within 3,000 ft (914.4 m) of any body of salt water or (2) under the surface or within the splash zone of any body of fresh water. Any such installations shall void the Trex Limited Warranty.





outdecks all others With a protective shell, unrivaled low maintenance and wood-grain beauty to match, the one and only Transcend® decking is the ultimate expression of form and function. Pair it with our Transcend railing, and you have an unmatched outdoor experience.

Transcend Decking

- » Designed in a range of rich colors with a natural-looking grain pattern
- » Two distinctive styles—premium tropical colors and rich classic earth tones
- » Unrivaled fade, stain, scratch and mold resistance
- » Low maintenance takes the work out of the weekend*
- » Made from 95% recycled materials
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty


Transcend Railing

- » Stands firm with a strong, sturdy look and feel
- » Built with the same incredible durability as Transcend decking—won't rot, warp or splinter
- » Modular components let you mix and match your customized look with any Trex railing line
- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

GET THE FLOORING LOOK

As an alternative to our traditional deck board, we offer an indoor-style, slanted groove porch board for a virtually gap-free look. Porch boards are available in Gravel Path & Spiced Rum.








is our low-maintenance composite that offers all the charm and none of the trouble of real wood.

- » High-performance shell is fade, stain and mold resistant
- » Cleans easily with just soap and water or a pressure washer*
- » Versatile colors feature a refined wood grain that adds depth and luxury
- » Pairs beautifully with all Trex railing lines
- » 95% recycled plastic, wood and sawdust keeps it green
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty



LIKE WHAT YOU DON'T SEE?

Trex Hideaway® Hidden Fasteners clip between grooved-edge boards for perfectly consistent spacing and no visible screws on top.



IT'S TREX, SIMPLIFIED With such an easy design scheme, Trex Select® decking and railing adds our legendary luxury to your home more affordably than ever.

Trex Select Decking

- » Wrapped in our hallmark high-performance shell
- » Offers a soft, splinter-free finish that's comfortable underfoot
- » Resists stains and mold better than early-generation composites
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

Trex Select Railing

- » Designed for the DIY homeowner
- » Won't warp, rot or splinter; never needs painting or staining
- » Classic White mixes and matches well with other Trex colors
- » Backed by the Trex 25-Year Limited Residential Warranty



MINIMALIST STYLE, MAXIMUM STRENGTH With a sleek yet sturdy profile, Trex Reveal® aluminum railing is specially crafted to complete your deck while emphasizing the view beyond it.


- » Aluminum possesses unparalleled strength with minimal geometry
- » Powder coating allows the aluminum to retain color and resist corrosion
- » Two baluster options and two post choices available
- » Contains a minimum of 40% recycled aluminum, a 100% renewable resource
- » Backed by the Trex Reveal Railing Limited Warranty*



trex.com

THE STRENGTH OF TREX REVEAL— NOW IN A GATE

Designed to work with all Trex railing, Trex aluminum gates offer an extra level of safety and strength, so your whole family can enjoy time on the deck.



THE BRIGHT IDEA With the right light, you can take any outdoor space from invisible to inviting. That's why Trex has expanded our lighting offering to cover the whole landscape.

- » Energy-efficient Cree® LEDs give off long-lasting illumination*
- » Sophisticated fixtures create custom lighting effects and designs
- » Trex LightHub® connection system makes set-up a snap for DIYers

Deck Lighting

- » Recessed deck lights
- » Stair riser lights
- » Post cap lights
- » Deck rail lights


Landscape Lighting

- » Well lights
- » Path lights
- » Multifunction lights
- » Spotlights

*For the terms of warranties on Trex® OutdoorLighting™, see page 22 or visit trex.com. Cree® is a registered trademark of Cree. Inc.









WE HAVE THE EDGE ON YOUR DECK Put the finishing touch on your deck design with fascia and riser boards to match the entire high-performing Trex lineup.

- » Low maintenance, with no sanding, staining or painting required
- » Superior resistance to fade, stains, rot, mold and termites
- » A spectrum of colors to coordinate with all Trex decking lines
- » Impact resistant for long-lasting beauty
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty



STEP UP AND STAND OUT Our spiral stairs offer all of the space-saving advantages of traditional spiral staircases but with Trex signature style, strength and simplicity. And with a range of design options, Trex® Spiral StairsTM are the ultimate staircase alternative.

- » Modular components make transport and installation easy
- » Low maintenance with no painting necessary
- » Non-combustible material offers peace of mind
- » Available in powder-coated aluminum in a range of colors or galvanized steel
- » Step treads can be capped with Trex high-performance composite to match your deck's color perfectly
- » Backed by a 25-Year Manufacturer's Warranty*





HIDE AND CHIC Mix the comforts of your indoor space with the natural beauty of your outdoor space. With Trex® Outdoor Storage™, add undeniable style and utility to your yard with storage that's easily matched to your deck and customized for your needs.

- » Engineered to withstand the elements and resist corrosion
- » Made with high-density, low-maintenance resin that won't warp or crack
- » Made from 100% water-resistant material
- » Natural-looking detailing, inspired by real teak
- » Customize the look with marble, granite or stone tops (purchased separately)
- » Comes in all Trex Transcend tropical colors to impeccably match your deck
- » Backed by a 25-Year Limited Manufacturer Warranty*

DEEP-SEATED BEAUTY It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing.

- » No staining, sealing, painting or refinishing—ever
- » Laughs off brutal sunbake and ignores withering salt spray
- » Stain-, spill- and rot-proof too
- » Boasts ergonomic design and a splinter-free finish for all-day comfort
- » Over 90% recycled materials keep things one with nature
- » Five-Year Limited Warranty means guaranteed weatherproofing*

^{*}Trex® OutdoorStorage™ products are manufactured and sold by NatureKast Products, LLC., under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

^{*}Trex® Outdoor Furniture™ products are manufactured and sold by Poly-Wood, Inc. under a Trademark License Agreement with Trex Company, Inc. Five-Year Limited Warranty provided by manufacturer.



Trex RainEscape creates a dry room below your deck also featuring: Trex Elevations and Trex Universal Fascia

Trex RainEscape creates a dry room below your deck also featuring: Trex Elevations and Trex Universal Fascia

Trex RainEscape®

DECK DRAINAGE SYSTEM

ABOVE AND BEYOND Trex[®] Pergola[™] keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that won't crack, rot or chalk—virtually upkeep-free.

- » Resists rot, splitting, chalking and insects
- » Premium designs in a wide range of options and customizable sizes including round or square columns
- » Available in attachable or free-standing profiles
- » Match your pergola to your deck with our signature Trex colors or create a custom color
- » Built for the do-it-yourselfer or easily installed by a TrexPro®
- » Backed by a Limited Manufacturer Warranty*

OUTWITS THE ELEMENTS Trex® RainEscape® makes something of that empty space beneath a second-story deck by channeling away rain drips and snowmelt and creating a dry room below.

- » Invisible channeling system installs between an upstairs deck and downstairs ceiling
- » No leaks, no sitting water
- » Enables the worry-free outfitting of electronics
- » Compatible with Trex Elevations
- » Backed by an industry-leading 20-Year Limited Residential Warranty*

*Trex® RainEscape® products are manufactured and sold by Dri-Deck Enterprises, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of Dri-Deck Enterprises, LLC. A 20-Year Limited Warranty is provided by the manufacturer.

^{*}Trex® Pergola™ products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Backyard America, under a Trademark License Agreement with Trex Company, Inc. Warranty provided by manufacturer.

resources



Our many digital resources, including an iPad app that lets you design your deck, will help you bring your outdoor living visions to life.

Get a digital estimate

Using the Trex Cost Calculator, you can select all the particulars for your decking project and get a custom estimate. Adjust as needed to find the right fit for your budget.

Find a TrexPro

We offer the largest nationwide network of TrexPro independent contractors. They not only know our products inside and out and have vast experience in the finer points of installation, they also can provide invaluable insight.

DIY, together

If you can work with wood, you'll love working with Trex. That said, there are many questions—from time commitments to zoning issues—you need to address before you decide to go it alone. Consult our online questionnaire to get started.

Order a sample

See how Trex will look in your outdoor space with a deck board sample sent straight to your home. All 18 of our decking colors are available online at **trex.com/shop**.

Find all this and more at **trex.com**And should you need us, we're always available at 1-800-BUY-TREX or question@trex.com

Care & Cleaning Guide

for Trex High-Performance Composite Decking

All exterior building materials require cleaning. Generally, soap and water is all that is required to clean Trex Transcend, Enhance and Select products. For additional information, see below.

PROBLEM	SOLUTION
Dirt and Debris	The affected area should be sprayed off with a hose to remove surface debris. Use warm soapy water and a soft bristle brush to remove dirt and debris from the embossing pattern.
Chalk Lines	Most colored chalks are permanent and may discolor the surface. Use only Irwin Strait-Line®* Dust-Off Marking Chalk (purple), available at Irwin.com.
Tannins Due to Debris	Remove all debris from the deck using a hose or broom. Once the deck surface is dry, apply a deck "brightener"** to the deck as directed by the manufacturer. Deck Brighteners contain oxalic acid, which will also remove t
Ice and Snow	A plastic shovel may be used to remove snow from the deck. Use calcium chloride or rock salt to melt the snow and ice from the deck surface.
Oil, Grease and Food	All food spills should be removed as soon as possible. The surface must be cleaned within seven days to maintain the stain warranty. To remove, spray off with a hose and use warm, soapy water and a soft bristle brush to remove spills from the embossing pattern.
Mold and Mildew	If debris such as pollen and dirt is allowed to remain on the deck surface, mold can feed on the biofilm. Using a hose and warm, soapy water with a soft bristle brush is recommended to remove the food source and mold.
Using a Pressure Washer (Concrete, Stucco or Ground-in Construction Dirt)	A pressure washer with no greater than 3100 psi*** that has a fan attachment/adjustment and soap dispenser may be used to remove dirt, concrete dust, or other types of construction dirt. Spray deck with soap, then follow by gently scrubbing each deck board with a soft bristle brush. Spray/rinse each individual deck board using a fan tip no closer than 8-in from the decking surface. RINSE THOROUGHLY . If dirty water from cleaning is left to dry, this will cause a film to remain on the decking surface.
Maintaining Transcend and Select Railing	NEVER use acetone or other solvents on Trex Transcend or Select railing to maintain the beauty of the surface. For color transfer issues (from attachment of baluster spacer), use Mr. Clean® Magic Eraser® Original or Magic Eraser® Extra Power to help remove this.**** For small surface scratches, marks, or scuffs, use Dupli-Color Scratch Seal™ Clear Sealer Pen.*****

^{*}Strait-Line® is a registered trademark of Irwin Industrial Tool Company.

^{**}Use of products containing bleach or acid will lighten the surface of Trex. Use in an inconspicuous area to determine whether you like the effect. Neither product will affect the structural integrity of Trex.

^{***} Use of a pressure washer greater than 3100 psi could damage the boards and void the warranty.

****Mr. Clean® and Magic Eraser® are registered trademarks of The Procter and Gamble Company.

*****Scratch Seal™ Clear Sealer Pen is a registered trademark of Dupli-Color® Products Company.

TREX® LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex® DeckLightling™ shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex® LandscapeLighting™ shall be five (5) years, and the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations® steel deck framing, Trex Reveal® aluminum railing and Trex Trim™ (which each have separate warranties).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping: (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2014 Trex Company, Inc

TREX ELEVATIONS® LIMITED WARRANTY

Trex Company, Inc. ("Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, TrexElevations® steel deck framing components shall be free from material defects in workmanship and materials and will not become structurally unfit, which is defined as corrosion causing a perforation of the component. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application [1 a defect occurs within the warranty period, Purchaser find Inoftiy Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its nitial installation).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Salt Water Applications – Trex Elevations® may not be installed within 3,000 feet of any body of salt water due to increased risk of corrosion. Any such installation shall void this limited warranty.

Other Water Applications – Trex Elevations® may not be installed under the surface or within the splash zone of any body of fresh water due to increased risk of corrosion. Any such installation shall void this limited warranty.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FRIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) defects caused by improper installation or decay caused by fasteners: (2) use of Trex products beyond normal use or service conditions, or in an application not recommended by frex's guidelines and local building codes; (3) corrosion caused by factors other than environmental or atmospheric processes; (4) failure to strictly abide by Trex Elevations® standard maintenance practices, as described below; (5) movement, distortion, collapse or settling of the ground; (6) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (7) improper handling, storage, abuse or neglect of Trex Elevations® products by Purchaser, the transferee or third parties; or (8) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE TREX ELEVATIONS® PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

TREX ELEVATIONS MAINTENANCE REQUIREMENTS:

- 1. Observation: During construction, inspect all components for exposed steel, and cover the exposed area with Trex approved touch up paint in accordance with the Trex Product and Installation Guide. (Trex does not warrant touch up paint due to application variability.) Covering exposed areas with Trex approved touch up paint blends the blemishes into the same unique color of the components.
- 2. First Maintenance: Defined as the physical inspection of components in search of corrosion. Atmospheric and environmental conditions can affect the longevity of Trex Elevations®. Densities of air borne pollutants in certain atmospheres require adjustments in the maintenance and inspection schedules. You should conduct first maintenance within six (6) years after installation for a residential application and four (4) years after installation for a residential application and four (4) years after installation for a commercial application. If corrosion is identified, immediately begin corrosion management practices.
- 3. Inspection Schedule: After first maintenance, Trex Elevations components must be inspected for structural integrity every two (2) to five (5) years for a residential application and every two (2) years for a commercial application. Integrity is inspected by tapping along the surface area of the components with a metal tool such as a screwdriver. If flaking of the exterior coat occurs or discrepancies of sound are heard, immediately begin corrosion management oractices.
- **4. Corrosion Management:** Sand any affected areas to twice the size of the corroded area with 80 grit sand paper. Reapply Trex approved touch up paint to the sanded area.

TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

Term of Warranty: The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (GIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and nonfood and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Standard Trex Company Limited Warranty: This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend® or Trex Select® railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and

Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

 If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605 3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Tex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

5. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.


UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province


Copyright © 2013 Trex Company, Inc.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

decking & railing color palette







FRAMING | DECKING | RAILING | LIGHTING | FASCIA STORAGE | FURNITURE | PERGOLA | DRAINAGE

Visit trex.com or call 1-800-BUY-TREX

FIND US ON









© 2015 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, Trex Transcend®, Trex Enhance®, Trex Select®, Trex Hideaway®, Trex Reveal®, Trex Elevations®, rex® RainEscape®, Trex LightHub®, Trex® OutdoorLighting™, Trex® Outdoor Furniture™, Trex® OutdoorStorage™, Trex® Pergola™ and TrexPro® are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia.